



MAT-7855US



**PATENT** 

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number:

6,740,183

Issued:

May 25, 2004 Segawa et al.

Name of Patentee: Title of Invention:

METHOD OF PRODUCING CERAMIC MULTI-LAYERED SUBSTRATE

### REQUEST FOR RECONSIDERATION UNDER 37 C.F.R. § 1.322

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

This Request is being filed to request consideration of a Request for Certificate of Correction which was previously filed on November 4, 2004 (copy enclosed).

The Request for Certificate of Correction states that there are errors on the title page, in the Abstract. The Abstract should read as amended in the Marked-up Copy of Specification Showing Additions and Deletions (copy enclosed).

It is respectfully requested that these errors be corrected in a Certificate of Correction.

ectfully submitted

Lawrence E. Ashery, Reg. No. 34 Attorney for Applicants

LEA/dlm

Enclosure:

Copy of Request for Certificate of Correction

Copy of pages 1 and 12 of Marked-up

Copy of Specification

Dated: April 13, 2005

P.O. Box 980 Valley Forge, PA 19482 (610) 407-0700

The Commissioner for Patents is hereby authorized to charge payment to Deposit Account No. 18-0350 of any fees associated with this communication.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 Attn: Decision and Certificate of Correction Branch of the Patent Issue Division on:

April 13, 2005

DLM\_I:\MAT\7855US\RECONSIDERATION.DOC

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO:

6,740, 183

DATED:

May 25, 2004

**INVENTORS:** 

Segawa et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Title page,

Item [57], ABSTRACT,

Line 2, delete "to remove a" and insert -- the removal of--.

Line 3, delete "sheet" and insert -- sheets --.

Line 4, delete " sheets are" and insert -- sheet is --.

Line 6, delete "For removing the shrinkage suppression sheets on both faces of the multi-layered ceramic substrate 2 after sintering, water" and insert --Water--.

Line 8, after "or" insert --a--.

Line 9, after "sprayed" insert --,--.

Line 10, after "air." insert --onto the shrinkage suppression sheets, on both faces of the multi-layered ceramic substrate, after sintering, to remove the shrinkage suppression sheets.--

Mailing Address of Sender:

Patent No.

6,740, 183

No. of Additional Copies:

0.

RatnerPrestia P.O. Box 980 Valley Forge, PA 19482 (610) 407-0700

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance completing the form, call 1-800-PTO-9199 and select option 2.

APR 1 5 2005

Inder the Paperwo

PTO/SB/21 (09-04) (AW 10/2004) Approved for use through 7/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

eduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

<b>TRANSMIT</b>	TAL
FORM	

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

Application Number	Patent No. 6,740,183	
Filing Date	Issued: May 25, 2004	
First Named Inventor	Segawa et al.	
Art Unit		
Examiner Name		
Attorney Docket No.	MAT-7855US	

ENCLOSURES (Check all that apply)				
Fee Transmittal Form Fee Attached	☐ Drawing(s) ☐ Licensing-related Papers	After Allowance Communication to TC		
Amendment/Reply After Final Affidavits/Declaration(s)  Extension of Time Request  Express Abandonment Request  Information Disclosure Statement  Certified Copy of Priority Document(s)  Response to Missing Parts/ Incomplete Application	Petition  Petition to Convert to a Provisional Application  Power of Attorney, Revocation, Change of Correspondence Address  Terminal Disclaimer  Request for Refund  CD, Number of CD(s)  Landscape Table on CD	Appeal Communication to Board of Appeals and Interferences  Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)  Proprietary Information  Status Letter  Other Enclosure(s) (please identify below): Request for Reconsideration under 37 C.F.R. §1.322; copy of Request for Certificate of Correction, PTO Form 1050, pages 1 and 2 of marked-up specification		
Response to Missing Parts under 37 CFR 1.52 or 1.53	Remarks:			
SIGNATURE OF APPLICANT, ATTORNEY OR AGENT				
Firm Name BetnerPrestia Signature Printed Name Lawrence E. Ashery				
Date April 13, 2005	Registration No.	34,515		
CERTIFICATE OF TRANSMISSION / MAILING				
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:				
Signature i Mari Will All Mary				
Typed or Printed Name Danielle Murphy	10-17	Date April 13, 2005		

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Office, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, ALEXANDRIA, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number:

6,740,183

Issued:

May 25, 2004 Segawa et al.

Name of Patentee: Title of Invention:

METHOD OF PRODUCING CERAMIC MULTI-LAYERED SUBSTRATE

# REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Attention:

**Decision and Certificate of Correction** 

Branch of the Patent Issue Division

- 1. Attached in duplicate is Form PTO-1050 with at least one copy being suitable for printing.
- 2. Correction of the Official Letters Patent is respectfully requested in view of the following text which appears correctly in the application file:

On the title page, in the abstract, line 2 of Letters Patent, delete "to remove a" and insert -- the removal of-- as indicated in line 3 on page 12 of the marked-up copy of specifications showing additions and deletions filed December 14, 1999.

On the title page, in the abstract, line 3 of Letters Patent, delete "sheet" and insert -- sheets-- as indicated in line 3 on page 12 of the marked-up copy of specifications showing additions and deletions filed December 14, 1999.

On the title page, in the abstract, line 4 of the Letters Patent delete "sheets are" and insert --sheet is-- as indicated in line 4 on page 12 of the marked-up copy of specifications showing additions and deletions filed December 14, 1999.

On the title page, in the abstract, line 6 of the Letters Patent delete "For removing the shrinkage suppression sheets, on both faces of the multi-layered ceramic substrate 2 after sintering, water" and insert --Water-- as indicated in line 6 on page 12 of the marked-up copy of specifications showing additions and deletions filed December 14, 1999.

On the title page, in the abstract, line 8 of the Letters Patent after "or" insert --a-- as indicated in line 7 on page 12 of the marked-up copy of specifications showing additions and deletions filed December 14, 1999.

On the title page, in the abstract, line 9 of Letters Patent after "sprayed" insert --,-- as indicated in line 8 on page 12 of the marked-up copy of specifications showing additions and deletions filed December 14, 1999.

On the title page, in the abstract, line 10 of Letters Patent after "air." insert --onto the shrinkage suppression sheets, on both faces of the multi-layered ceramic substrate, after sintering, to remove the shrinkage suppression sheets.-- as indicated in line 8 on page 12 of the marked-up copy of specifications showing additions and deletions filed December 14, 1999.

3. Please send the Certificate to:

Name:

P.O. Box 980 Valley Forge, PA 19482 (610) 407-0700

Name of Assignee: Matsushita Electrical Industrial Co., LTD.

Assignment Recorded on:

April 24, 2000

Reel:

010788

Frame:

0064

Respectfully submitted,

Attorney for Applicants

Lawrence E. Ashery, Reg. No. 34, \$15

LEA/rrc

Enclosure: Form PTO-1050 (in duplicate)

Dated: November 4, 2004

P.O. Box 980 Valley Forge, PA 19482 (610) 407-0700

The Commissioner for Patents is hereby authorized to charge payment to Deposit Account No. 18-0350 of any fees associated with this communication.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 Attn: Decision and Ceptificate of Correction Branch of the Patent Issue Division on:

lovember 4, 2004

· 2 **-**

**MAT-7855US** 

5

10

15

20

# MARKED-UP COPY OF SPECIFICATION SHOWING ADDITIONS AND DELETIONS



-1-

# METHOD FOR MANUFACTURING A MULTI-LAYERED CERAMIC SUBSTRATE

### FIELD OF THE INVENTION

manufacturing a multi-layered ceramic substrate used for electronic devices, and in particular to methods for manufacturing a so-called-non-shrinkable multi-layered substrate which greatly suppresses shrinkage of the substrate during firing.

#### BACKGROUND OF THE INVENTION

Normally, multi-layered ceramic substrates are manufactured using a method called the green sheet lamination method. In this method, green sheets, made by forming a slurry containing ceramic powder and organic binder into a sheet, are punched (for holes) and screen printed with conductive paste. These green sheets are stacked to the required number, press-heated to laminate the layers, and then fired.

The advantages of this method include the feasibility of fine pattern printing realized by the extremely flexible green sheet and good permeability to organic solvents; and good surface smoothness and air-tightness which allow the lamination of even up to several dozens of layers.

On the other hand, the main disadvantage is the difficulty in achieving dimensional accuracy. This is due to shrinkage of the ceramic substrate accompanied by sintering which occurs during firing-it. Inaccurate dimensions cause mismatching between components and conductive patterns, generating the serious problem of inability to mount semiconductor chips such as CSPs (chip size packages) and MCMs (multi-chip modules) with high accuracy.

25

.

## ABSTRACT OF THE DISCLOSURE

A method for manufacturing a multi-layered ceramic substrate which enables the removal of to remove a shrinkage suppression sheets without damaging the multi-layered substrate. The shrinkage suppression sheets is are formed on both faces of unfired laminated green sheets, and then the laminated green sheets are fired. For removing the shrinkage suppression sheets on both faces of the multi-layered ceramic substrate 2 after sintering, water Water, ceramic powder, or a water and ceramic powder mixture is sprayed, together with compressed air onto the shrinkage suppression sheets, on both faces of the multi-layered ceramic substrate, after sintering, for to removeal of the shrinkage suppression sheets.